



SHENGHAI
ALUMINUM

ALUMINUM **FOLDING DOOR** **/ PT DOOR**

Professional Folding Door / PT Door Aluminum Supplier

Focus on folding door aluminum extrusion and sales

ABOUT SEHNGHAI

Foshan Shenghai Aluminum Co., Ltd. was established in 2010 and has grown into a leading aluminum profile manufacturer in China, providing precision engineered extrusion solutions.

Shenghai Aluminum has 7 extrusion lines and offers powder coating and anodizing surface treatments. Annual export volume exceeds 8,000 tons. The company combines innovative engineering with sustainable manufacturing practices to serve the global construction, industrial and design sectors.



Extrusion Line



Anodized Line

2010
Established In

7 sets
Press Lines

8000 tons
Annual Export

23000 m²
Factory Area



► About Raw Materials

Shenghai's door and window profiles commonly use 6-series aluminum alloys, including 6082-T6, 6005-T6, and 6063-T66. These aluminum alloys offer excellent forging properties, high strength and hardness, and good impact and wear resistance.



CONTENTS

PT DOOR SERIES

01

16 PT Door Series (35 System)

P04-P07

50 PT Door Series (35 System)

P08-P11

Single Glass PT Door (Huiyun 2 Series)

P12-P15

ULTRA-NARROW SERIES

02

3516 Ultra-Narrow Swing Door

P16-P17

3516 Ultra-Narrow Sliding Door

P18-P21

FOLDING DOOR SERIES

03

60(20) Series Small Folding Door

P22-P25

50 Series Small Folding Door

P26-P27

75 Series Large Folding Door (Broken Bridge/Non-Broken Bridge)

P28-P31

UPPER FOLDING WINDOW SERIES

04

45/50/60 Series Upper Folding Windows

P32-P34

35 SYSTEM 16 PT DOOR SERIES

Aluminum alloy PT doors offer both swing and sliding functions. PT doors effectively reduce door panel swing, saving space. They also feature a stylish design and are easy to operate.



Waterproof



Stablize



Durability



Insulation



Safety



Sound Insulation



Closed



Sliding





Swing


ABOUT PT DOOR

Save space and be applicable to a wide range of scenarios. High-quality aluminum + high-quality hardware accessories.

Two-Track PT Door Aluminum Alloy Profile Configuration Diagram




Three-Track PT Door Aluminum Alloy Profile Configuration Diagram



Series Spot Color Cards

We have a variety of colors in stock. We also have a professional spraying production line that can customize colors based on customer-provided color samples to meet customer needs.



Black



Grey



Silver Gray



Wood Color





Glaze White



Metallic Gray

16 PT DOOR SERIES 「 35 SYSTEM, PATENTED PRODUCT 」 PRODUCT DISPLAY

JY-WP-21




Product Name	Top Frame	Weight	1.020kg/m
Wall Thickness	1.6mm	Length	4.8m (4 pieces/bundle)

JY-WP-21A



Product Name	Top Frame	Weight	0.942kg/m
Wall Thickness	1.6mm	Length	4.8m (4 pieces/bundle)

JY-WP-22

Product Name	Right-Angle Bottom Frame	Weight	0.818kg/m
Wall Thickness	1.6mm	Length	4.8m (4 pieces/bundle)

JY-WP-26A




Product Name	Four-Panel End Cap	Weight	0.393kg/m
Wall Thickness	1.0mm	Length	4.7m (4 pieces/bundle)

JY-WP-27




Product Name	Single-Glass Transition Strip	Weight	0.119kg/m
Wall Thickness	1.0mm	Length	5.5m (10 pieces/bundle)

JY-WP-58




Product Name	Two-Track Handle	Weight	0.805kg/m
Wall Thickness	2.0mm	Length	4.7m (4 pieces/bundle)

JY-WP-59




Product Name	Three-Track Handle	Weight	1.203kg/m
Wall Thickness	2.5mm	Length	4.7m (4 pieces/bundle)

JY-WP-63





Product Name	Hook Stile	Weight	0.226kg/m
Wall Thickness	1.0mm	Length	4.7m (6 pieces/bundle)

JY-WP-64




Product Name	Smooth Stile	Weight	0.579kg/m
Wall Thickness	2.0mm	Length	4.7m (4 pieces/bundle)

JY-WP-70



Product Name	Bottom Frame	Weight	0.717kg/m
Wall Thickness	2.0mm	Length	4.8m (4 pieces/bundle)

JY-WP-79





Product Name	Three-Track Hinge Stile	Weight	1.294kg/m
Wall Thickness	2.0mm	Length	4.7m (4 pieces/bundle)

JY-WP-80


Product Name	Hook Stile	Weight	0.592kg/m
Wall Thickness	2.0mm	Length	4.7m (4 pieces/bundle)

JY-WP-81




Product Name	Three-Track Handle Stile	Weight	1.584kg/m
Wall Thickness	2.5mm	Length	4.7m (4 pieces/bundle)

JY-WP-93




Product Name	Two-Track Hinge Stile	Weight	1.012kg/m
Wall Thickness	2.0mm	Length	4.7m (4 pieces/bundle)

JY-WP-95




Product Name	Two-Track Handle Stile	Weight	1.141kg/m
Wall Thickness	2.0mm	Length	4.7m (4 pieces/bundle)

JY-WP-105





Product Name	Bottom Frame	Weight	0.890kg/m
Wall Thickness	1.6mm	Length	4.8m (4 pieces/bundle)

JY-WP-D



Name	Integrated Two-Track Overhead Rail	Weight	2.544kg/m
Wall Thickness	2.0mm	Length	5.4m (1 pieces/bundle)


JY-WP-F



Name	Integrated Three-Track Overhead Rail	Weight	3.932kg/m
Wall Thickness	2.0mm	Length	5.4m (1 pieces/bundle)

35 SYSTEM 50 PT DOOR SERIES

Aluminum alloy PT doors offer both swing and sliding functions. PT doors effectively reduce door panel swing, saving space. They also feature a stylish design and are easy to operate.



Waterproof



Stablize



Durability



Insulation



Safety



Sound Insulation



Closed



Sliding





Swing


ABOUT PT DOOR

Save space and be applicable to a wide range of scenarios. High-quality aluminum + high-quality hardware accessories.

Two-Track PT Door Aluminum Alloy Profile Configuration Diagram



Three-Track PT Door Aluminum Alloy Profile Configuration Diagram



Series Spot Color Cards

We have a variety of colors in stock. We also have a professional spraying production line that can customize colors based on customer-provided color samples to meet customer needs.



Black



Grey



Silver Gray



Wood Color



Glaze White



Metallic Gray

50 PT DOOR SERIES 「 35 SYSTEM, PATENTED PRODUCT 」 PRODUCT DISPLAY



JC-8824B

Product Name	Lock Groove	Weight	0.223kg/m
Wall Thickness	1.0mm	Length	4.7m (10 pieces/bundle)

JY-WP-05A

Product Name	Top Frame	Weight	1.044kg/m
Wall Thickness	1.4mm	Length	4.8m (4 pieces/bundle)

JY-WP-06



Product Name	Bottom Frame	Weight	0.800kg/m
Wall Thickness	1.4mm	Length	4.8m (4 pieces/bundle)

JY-WP-07A




Product Name	Universal Smooth Stile	Weight	0.978kg/m
Wall Thickness	1.4mm	Length	4.7m (4 pieces/bundle)

JY-WP-09A

Product Name	Handle Smooth Stile	Weight	0.895kg/m
Wall Thickness	1.4mm	Length	4.7m (4 pieces/bundle)

JY-WP-10B





Product Name	Two-Track Handle	Weight	0.866kg/m
Wall Thickness	1.6mm	Length	4.7m (4 pieces/bundle)

JY-WP-42




Product Name	Four-Panel End Cap	Weight	0.281kg/m
Wall Thickness	1.1mm	Length	4.7m (10 pieces/bundle)

JY-WP-48




Product Name	Single-Glass Transition Strip	Weight	0.130kg/m
Wall Thickness	1.0mm	Length	5.5m (10 pieces/bundle)

JY-WP-61






Product Name	Hook Stile	Weight	0.343kg/m
Wall Thickness	1.0mm	Length	4.7m (6 pieces/bundle)

JY-WP-69




Product Name	Bottom Frame	Weight	0.740kg/m
Wall Thickness	1.4mm	Length	4.8m (4 pieces/bundle)

JY-WP-82


Product Name	Three-Track Hinge Stile	Weight	1.513kg/m
Wall Thickness	1.4mm	Length	4.7m (4 pieces/bundle)

JY-WP-96





Product Name	Two-Track Hinge Stile	Weight	1.231kg/m
Wall Thickness	1.4mm	Length	4.7m (4 pieces/bundle)

JY-WP-97




Product Name	Hook Stile	Weight	0.926kg/m
Wall Thickness	1.4mm	Length	4.7m (4 pieces/bundle)

JY-WP-98




Product Name	Two-Track Handle Stile	Weight	1.417kg/m
Wall Thickness	1.4mm	Length	4.7m (4 pieces/bundle)

JY-WP-C




Name	Integrated Three-Track Overhead Rail	Weight	3.852kg/m
Wall Thickness	2.0mm	Length	5.4m (1 pieces/bundle)

JY-WP-E



Name	Integrated Two-Track Overhead Rail	Weight	2.492kg/m
Wall Thickness	2.0mm	Length	5.4m (1 pieces/bundle)

JY-WP-G



Product Name	Overhead Track Accessories	Weight	0.061kg/m
Wall Thickness	1.5mm	Length	5.4m (10 pieces/bundle)

HUIYUN 2 SERIES SINGLE GLASS PT DOOR

Aluminum alloy PT doors offer both swing and sliding functions.
PT doors effectively reduce door panel swing, saving space.They also
feature a stylish design and are easy to operate.




- Waterproof
- Stablize
- Durability
- Insulation
- Safety
- Sound Insulation



ABOUT PT DOOR

Save space and be applicable to a wide range of scenarios.High-quality aluminum + high-quality hardware accessories.

Two-Track PT Door Aluminum Alloy Profile Configuration Diagram



Series Spot Color Cards

We have a variety of colors in stock. We also have a professional spraying production line that can customize colors based on customer-provided color samples to meet customer needs.



Black



Grey



Silver Gray





Glaze White



Metallic Gray

SINGLE GLASS PT DOOR「HUIYUN 2 SERIES」
PRODUCT DISPLAY

JY-HY-27



Product Name	Lock Smooth Stile	Weight	0.602kg/m
Wall Thickness	1.1mm	Length	4.6m (4 pieces/bundle)

JY-HY-15



Matching HY-27 Lock Smooth Stile



Product Name	Lock Groove	Weight	0.256kg/m
Wall Thickness	1.1mm	Length	4.6m (10 pieces/bundle)

JY-HY-16





Product Name	Hook & Smooth Stile	Weight	0.275kg/m
Wall Thickness	1.6mm	Length	4.6m (10 pieces/bundle)

JY-HY-21





Product Name	Fixed Top Track	Weight	1.058kg/m
Wall Thickness	1.0mm	Length	4.8m (4 pieces/bundle)

JY-HY-22

Product Name	Movable Top Track	Weight	1.080kg/m
Wall Thickness	1.0mm	Length	4.8m (4 pieces/bundle)

JY-HY-23

Product Name	Top Frame	Weight	0.544kg/m
Wall Thickness	1.0mm	Length	4.8m (10 pieces/bundle)

JY-HY-24




Name	Front Wrap (front-facing frame)	Weight	0.549kg/m
Wall Thickness	1.2mm	Length	5.4m (6 pieces/bundle)

JY-HY-25






Name	Reverse Wrap (back-facing frame)	Weight	0.549kg/m
Wall Thickness	1.2mm	Length	5.4m (6 pieces/bundle)

JY-HY-26






Product Name	Top Baffle	Weight	0.298kg/m
Wall Thickness	1.2mm	Length	5.4m (10 pieces/bundle)

JY-HY-09



Product Name	Middle Post	Weight	0.205kg/m
Wall Thickness	1.0mm	Length	4.8m (10 pieces/bundle)

JY-HY-31

Product Name	Hinge Smooth Stile	Weight	0.513kg/m
Wall Thickness	1.5mm	Length	4.6m (10 pieces/bundle)

JY-HY-32



Product Name	Bottom Frame	Weight	0.550kg/m
Wall Thickness	1.0mm	Length	4.8m (10 pieces/bundle)

JY-HY-41





Product Name	Flat Frame	Weight	0.480kg/m
Wall Thickness	1.0mm	Length	5.4m (6 pieces/bundle)

JY-HY-42

Product Name	Double-Wrap Rear Frame	Weight	0.689kg/m
Wall Thickness	1.0mm	Length	5.4m (4 pieces/bundle)


JY-HY-59



Matching HY-60
Lock Smooth Stile


Product Name	Frame Lock Groove	Weight	0.223kg/m
Wall Thickness	1.1mm	Length	4.6m (10 pieces/bundle)

JY-HY-60




Product Name	Lock Smooth Stile	Weight	0.600kg/m
Wall Thickness	1.1mm	Length	4.6m (4 pieces/bundle)

JY-JP-01




Product Name	External Spacer Bar	Weight	0.058kg/m
Wall Thickness	0.8mm	Length	3.0m (20 pieces/bundle)

XSL-12




Product Name	Blinds	Weight	0.121kg/m
Wall Thickness	0.8mm	Length	3.0m (20 pieces/bundle)

XSL-13



Product Name	Blinds Accessories	Weight	0.034kg/m
Wall Thickness	1.0mm	Length	3.0m (50 pieces/bundle)

ZY-80



Product Name	Front Frame	Weight	0.346kg/m
Wall Thickness	1.0mm	Length	6.4m (6 pieces/bundle)


3516 ULTRA-NARROW SWING DOOR

The extremely narrow swing door is simple and stylish, made of high-precision aluminum alloy profiles. The aluminum alloy material is corrosion-resistant and wear-resistant, and it can maintain a good appearance after long-term use.



- 
Waterproof
- 
Stabilize
- 
Durability
- 
Insulation
- 
Safety
- 
Sound Insulation

Product Assembly Drawing



Series Spot Color Cards

We have a variety of colors in stock. We also have a professional spraying production line that can customize colors based on customer-provided color samples to meet customer needs.



Black



Grey



Silver Gray



Khaki Brown



Great Wall Gray



Wood Color



Glaze White



Light Yellow



Light Gray

3516 ULTRA-NARROW SWING DOOR
PRODUCT DISPLAY

YC-1001





Product Name	Smooth Stile	Weight	0.431kg/m
Wall Thickness	2.0mm	Length	4.8/6.3m (8 pieces/bundle)

YC-1003



Product Name	Smooth Stile	Weight	0.435kg/m
Wall Thickness	1.8mm	Length	4.8/6.3m (4 pieces/bundle)

YC-1015



Product Name	Smooth Stile	Weight	0.477kg/m
Wall Thickness	2.0mm	Length	4.8/6.3m (8 pieces/bundle)

YC-1018





Name	Front Wrap (front-facing frame)	Weight	0.619kg/m
Wall Thickness	1.15mm	Length	6.4m (4 pieces/bundle)

YC-1019



Name	Reverse Wrap (back-facing frame)	Weight	0.619kg/m
Wall Thickness	1.15mm	Length	6.4m (4 pieces/bundle)

ZY-80A



Product Name	Door Casing	Weight	0.322kg/m
Wall Thickness	1.0mm	Length	6.4m (4 pieces/bundle)

3516 ULTRA-NARROW SLIDING DOOR


The ultra-narrow sliding door is simple and stylish. It is usually made of high-quality aluminum alloy. After fine grinding and spraying, the surface presents a smooth and delicate texture with uniform color.


The aluminum alloy material is corrosion-resistant and wear-resistant, and can still maintain a good appearance after long-term use.



-  Waterproof
-  Stabilize
-  Durability
-  Insulation
-  Safety
-  Sound Insulation

Product Assembly Drawing





87.66

206.8

131.65

250.8

Series Spot Color Cards

We have a variety of colors in stock. We also have a professional spraying production line that can customize colors based on customer-provided color samples to meet customer needs.




Black



Wood Color



Grey



Glaze White



Silver Gray



Light Yellow



Khaki Brown



Light Gray



Great Wall Gray

3516 ULTRA-NARROW SLIDING DOOR

PRODUCT DISPLAY

YC-1001



Product Name	Smooth Stile	Weight	0.431kg/m
Wall Thickness	2.0mm	Length	4.8/6.3m (8 pieces/bundle)

YC-1002





Product Name	Hook & Smooth Stile	Weight	0.465kg/m
Wall Thickness	2.0mm	Length	4.8m (8 pieces/bundle)

YC-1009



Product Name	Top & Bottom Frame	Weight	0.904kg/m
Wall Thickness	2.0mm	Length	6m (8 pieces/bundle)

YC-1015



Product Name	Smooth Stile	Weight	0.477kg/m
Wall Thickness	2.0mm	Length	4.8/6.3m (8 pieces/bundle)

YC-1015A



Product Name	Smooth Stile	Weight	0.49kg/m
Wall Thickness	1.8mm	Length	4.8/6.3m (4 pieces/bundle)

YC-1016



Product Name	Hook & Smooth Stile	Weight	0.511kg/m
Wall Thickness	1.8mm	Length	4.8m (4 pieces/bundle)

YC-1016A





Product Name	Hook & Smooth Stile	Weight	0.52kg/m
Wall Thickness	1.8mm	Length	4.8m (4 pieces/bundle)

YC-1017



Product Name	Top & Bottom Frame	Weight	0.646kg/m
Wall Thickness	1.8mm	Length	6.0m (8 pieces/bundle)

YC-1006



Product Name	Two-Track Side Seal	Weight	0.607kg/m
Wall Thickness	1.1mm	Length	4.8/5.6m (4 pieces/bundle)

YC-1007





Product Name	Three-Track Side Seal	Weight	0.925kg/m
Wall Thickness	1.2mm	Length	4.8/5.6m (4 pieces/bundle)

HY-JT-034



Product Name	Overhead Track Cover	Weight	0.295kg/m
Wall Thickness	1.2mm	Length	6m (10 pieces/bundle)

YC-1051





Product Name	Single - Overhead Track	Weight	0.882kg/m
Wall Thickness	2.3mm	Length	6.0m (4 pieces/bundle)

YC-1052



Product Name	Two- Overhead Track	Weight	1.671kg/m
Wall Thickness	2.3mm	Length	6.0m (4 pieces/bundle)

YC-1053



Product Name	Three- Overhead Track	Weight	2.472kg/m
Wall Thickness	2.3mm	Length	6.0m (4 pieces/bundle)

YC-1054



Product Name	Overhead Track Connector	Weight	0.216kg/m
Wall Thickness	1.2mm	Length	6.0m (10 pieces/bundle)

YC-8802



Product Name	Two-Track Bottom Rail	Weight	0.446kg/m
Wall Thickness	1.1mm	Length	6.3m (4 pieces/bundle)

YC-8834



Product Name	Three-Track Bottom Rail	Weight	0.74kg/m
Wall Thickness	1.3mm	Length	6.3m (4 pieces/bundle)

YC-8895



Product Name	Two-Track Top Slide	Weight	1.284kg/m
Wall Thickness	1.0mm	Length	6.3m (2 pieces/bundle)

YC-8896



Product Name	Three-Track / Linked Top Slide	Weight	1.748kg/m
Wall Thickness	1.2mm	Length	6.3m (2 pieces/bundle)

ZY-80A



Product Name	Door Casing	Weight	0.322kg/m
Wall Thickness	1.0mm	Length	6.4m (4 pieces/bundle)

YC-1030A



Product Name	Casing Base	Weight	0.119kg/m
Wall Thickness	1.0mm	Length	6.0m (10 pieces/bundle)

YC-1034



Product Name	F-Groove	Weight	0.157kg/m
Wall Thickness	1.0mm	Length	6.0m (10 pieces/bundle)

60 「20」 SERIES

SMALL FOLDING DOOR

Aluminum alloy folding doors are foldable doors made of high-quality aluminum alloy profiles for exceptional durability. They offer excellent sound and heat insulation, enhancing indoor comfort, and their folding design saves space.

- 

Waterproof
- 

Stabilize
- 

Durability
- 

Insulation
- 

Safety
- 


Sound Insulation



20 Smooth Stile Assembly Showcase




YC-021 Smooth Stile




60ZD-08A Smooth Stile

60 Smooth Stile Assembly Showcase

Folding Door Aluminum Profile Configuration Diagram




422 (Wide Smooth Stile)




422 (Narrow Smooth Stile)

Series Spot Color Cards

We have a variety of colors in stock. We also have a professional spraying production line that can customize colors based on customer-provided color samples to meet customer needs.



Black



Highlight White



Metallic Gray



Crystal Swimming BMW Gold



Red Wood



Oak Wood

60「20」 SERIES SMALL FOLDING DOOR PRODUCT DISPLAY


YC-60ZD-08A

Product Name	Single-Glass Smooth Stile	Weight	0.315kg/m
Wall Thickness	1.0mm	Length	6.3m (10 pieces/bundle)

YC-60ZD-08B

Product Name	Double-Glass Smooth Stile	Weight	0.306kg/m
Wall Thickness	1.1mm	Length	6.3m (10 pieces/bundle)

YC-60ZD-09



57.1

28.3

23

Product Name	Double Glass Smooth Stile	Weight	0.477kg/m
Wall Thickness	0.9mm	Length	6.3m (4 pieces/bundle)

YC-60ZD-12



57.1

28.3

11.3

6.3

Product Name	Single-Glass Smooth Stile	Weight	0.515kg/m
Wall Thickness	0.9mm	Length	6.3m (4 pieces/bundle)

YC-018





18

28.9

Match YC-021 Smooth Stile

Product Name	Ultra-Narrow Middle Transom	Weight	0.249kg/m
Wall Thickness	1.0mm	Length	6.0m (10 pieces/bundle)

YC-021





19.6

29.1

6

Name	Single-Glass Ultra-Narrow Smooth Stile	Weight	0.270kg/m
Wall Thickness	1.0mm	Length	4.9m (10 pieces/bundle)

YC-013



10

50.9

Product Name	Bottom Track	Weight	0.244kg/m
Wall Thickness	0.9mm	Length	6.3m (4 pieces/bundle)

YC-019B



56.45

43

Product Name	Flat Side Frame	Weight	0.621kg/m
Wall Thickness	1.0mm	Length	4.5m (4 pieces/bundle)

YC-019H





56.45

43

Product Name	Flat Frame Top Track	Weight	0.701kg/m
Wall Thickness	1.2mm	Length	6.0m (4 pieces/bundle)

YC-60ZD-02B




68

60.5

Product Name	Front-Wrap Frame	Weight	0.728kg/m
Wall Thickness	1.0mm	Length	4.5m (4 pieces/bundle)

YC-60ZD-02H



68

60.5

Product Name	Front-Wrap Top Track	Weight	0.813kg/m
Wall Thickness	1.2mm	Length	6.0m (4 pieces/bundle)

YC-60ZD-03B




60.5

68


Product Name	Reverse-Wrap Frame	Weight	0.730kg/m
Wall Thickness	1.0mm	Length	4.5m (4 pieces/bundle)

YC-60ZD-03H




Product Name	Reverse-Wrap Top Track	Weight	0.809kg/m
Wall Thickness	1.2mm	Length	6.0m (4 pieces/bundle)

YC-60ZD-04




Product Name	Single-Glass Transition Strip	Weight	0.091kg/m
Wall Thickness	0.6mm	Length	4.9m (10 pieces/bundle)

YC-60ZD-05




Product Name	Smooth Stile Middle Transom	Weight	0.292kg/m
Wall Thickness	0.8mm	Length	6.0m (10 pieces/bundle)

YC-60ZD-06




Product Name	End Cap	Weight	0.279kg/m
Wall Thickness	0.8mm	Length	4.6m (4 pieces/bundle)

YC-60ZD-07A



Product Name	Sash Middle Transom	Weight	0.700kg/m
Wall Thickness	1.0mm	Length	6.0m (4 pieces/bundle)

YC-60ZD-10



Product Name	Front-Wrap Top Track	Weight	0.812kg/m
Wall Thickness	1.2mm	Length	6.0m (4 pieces/bundle)

50 SERIES

SMALL FOLDING DOOR

Aluminum alloy folding doors are foldable doors made of high-quality aluminum alloy profiles for exceptional durability. They offer excellent sound and heat insulation, enhancing indoor comfort, and their folding design saves space.

2+0 Assembly Display



Waterproof



Stablize



Durability



Insulation




Safety



Sound Insulation

Assembly Drawing Of Aluminum Alloy Profile




Series Spot Color Cards

We have a variety of colors in stock. We also have a professional spraying production line that can customize colors based on customer-provided color samples to meet customer needs.



Black




Highlight White

50 SERIES SMALL FOLDING DOOR



PRODUCT DISPLAY

YC-001





Product Name	Round Smooth Stile	Weight	0.249kg/m
Wall Thickness	0.7mm	Length	4.1m (10 pieces/bundle)

YC-002





Product Name	Side Frame	Weight	0.328kg/m
Wall Thickness	0.7mm	Length	4.2m (10 pieces/bundle)

YC-003



Product Name	Top & Bottom Frame	Weight	0.355kg/m
Wall Thickness	0.7mm	Length	4.2m (10 pieces/bundle)

YC-004



Product Name	Trackless Smooth Stile	Weight	0.342kg/m
Wall Thickness	0.8mm	Length	4.1m (10 pieces/bundle)

YC-005



Product Name	Pivot	Weight	0.178kg/m
Wall Thickness	0.9mm	Length	4.1m (20 pieces/bundle)

YC-006





Product Name	Hook Stile	Weight	0.331kg/m
Wall Thickness	0.7mm	Length	4.1m (10 pieces/bundle)

YC-007




Product Name	Bottom Track	Weight	0.501kg/m
Wall Thickness	0.9mm	Length	4.2m (6 pieces/bundle)

YC-008



Product Name	Top Track	Weight	0.529kg/m
Wall Thickness	0.9mm	Length	4.2m (6 pieces/bundle)

YC-009



Product Name	Handle	Weight	0.610kg/m
Wall Thickness	0.9mm	Length	4.2m (6 pieces/bundle)

75 SERIES LARGE FOLDING DOOR

Aluminum alloy folding doors are foldable doors made of high-quality aluminum alloy profiles for exceptional durability. They offer excellent sound and heat insulation, enhancing indoor comfort, and their folding design saves space.



Waterproof



Stabilize



Durability



Insulation



Safety



Sound Insulation




422 Closing Assembly




440 Closing Assembly


Aluminum Alloy Profile Configuration Diagram



>>> 321 Folding Door <<<




>>> 330 Folding Door <<<




Overhead Track Assembly


Lower Load-Bearing Assembly




90° Corner Assembly Solution



>>> 431 Folding Door <<<



>>> 440 Folding Door <<<




>>> 422 Folding Door <<<

Series Spot Color Cards


We have a variety of colors in stock. We also have a professional spraying production line that can customize colors based on customer-provided color samples to meet customer needs.



Black



Metallic Gray





Aluminum Raw Material Color


75 SERIES LARGE FOLDING DOOR

PRODUCT DISPLAY

Thermal Break -Sash Material





Model	JY-75DQ-01	Weight	1.201kg/m
Wall Thickness	2.0mm	Length	6.0m (4 pieces/bundle)





Model	JY-75DQ-02	Weight	0.918kg/m
Wall Thickness	2.0mm	Length	6.0m (4 pieces/bundle)

Thermal Break - Outer Frame




Model	JY-75DQ-03	Weight	1.117kg/m
Wall Thickness	2.0mm	Length	6.0m (4 pieces/bundle)





Model	JY-75DQ-04	Weight	0.958kg/m
Wall Thickness	2.0mm	Length	6.0m (4 pieces/bundle)

Thermal Break -Overhead Track





Model	JY-75DQ-05	Weight	2.224kg/m
Wall Thickness	2.0mm	Length	6.0m (2 pieces/bundle)



Model	JY-75DQ-06	Weight	0.900kg/m
Wall Thickness	2.0mm	Length	6.0m (2 pieces/bundle)

JY-75ZD-01



Product Name	Smooth Stile	Weight	1.935kg/m
Wall Thickness	2.0mm	Length	6.0m (3 pieces/bundle)

JY-75ZD-07




Product Name	Smooth Stile	Weight	1.923kg/m
Wall Thickness	2.0mm	Length	6.0m (3 pieces/bundle)

JY-75ZD-02

Product Name	Side Frame	Weight	1.971kg/m
Wall Thickness	2.0mm	Length	6.0m (3 pieces/bundle)

JY-75ZD-03




Product Name	Accessories	Weight	0.370kg/m
Wall Thickness	1.4mm	Length	6.0m (10 pieces/bundle)

JY-75ZD-04




Product Name	End Cap 1	Weight	0.441kg/m
Wall Thickness	1.4mm	Length	6.0m (4 pieces/bundle)

JY-75ZD-05






Product Name	End Cap 2	Weight	0.506kg/m
Wall Thickness	1.2mm	Length	6.0m (4 pieces/bundle)

JY-75ZD-06






Product Name	Bottom Track	Weight	0.915kg/m
Wall Thickness	1.8mm	Length	6.0m (4 pieces/bundle)

JY-75ZD-08



Product Name	Finishing Smooth Stile	Weight	1.679kg/m
Wall Thickness	2.0mm	Length	6.0m (3 pieces/bundle)

JY-75ZD-09

Product Name	Pivot	Weight	1.081kg/m
Wall Thickness	1.5mm	Length	6.0m (2 pieces/bundle)

JY-75ZD-10

Product Name	Overhead Track	Weight	2.804kg/m
Wall Thickness	2.0mm	Length	6.0m (2 pieces/bundle)

YC-CDG




Product Name	Flat Aluminum Drive Rod	Weight	0.090kg/m
Wall Thickness	1.2mm	Length	6.0m (10 pieces/bundle)



45/50/60 SERIES

UPPER FOLDING WINDOWS

Aluminum alloy upper folding windows offer flexible opening options, allowing you to adjust the opening width as needed. They're easy to operate and raise and lower, effectively saving space. The folding aluminum alloy frame and composite film enhance durability, corrosion resistance, and weatherproofing.



Closed





Open

ABOUT UPPER FOLDING WINDOW

The window height can be adjusted to your needs, ensuring optimal ventilation and lighting.

Upper Folding Window Configuration Diagram



Side Frame



Smooth Stile



Glazing Bead

ADVANTAGES OF UPPER FOLDING WINDOW

- Excellent Thermal Insulation**
Aluminum folding windows provide excellent insulation, minimizing indoor-outdoor temperature differences.
 - Wide Applications**
Suitable for bars, restaurants, cafes, teahouses, cake shops, and other street businesses.
 - Durability And Maintenance**
The aluminum alloy structure is sturdy and durable, resistant to rain and dust, and resists aging and rusting over time.
- Design Advantages**
The folding design allows the window to be fully opened or folded, and the height can be adjusted as needed.
 - Safety**
Aluminum alloy sashes offer strong load-bearing capacity, and the lock design provides a high safety factor.
 - Soundproofing And Insect Repellent**
It also features soundproofing, effectively blocking out noise and insects when closed.

Series Spot Color Cards

We have a variety of colors in stock. We also have a professional spraying production line that can customize colors based on customer-provided color samples to meet customer needs.




Black



Metallic Gray



Highlight White





Aluminum Raw Material Color

45/50/60 SERIES UPPER FOLDING WINDOWS PRODUCT DISPLAY



YC-SZ-4501				YC-SZ-4502			
							
Product Name	45 Side Frame	Weight	0.705kg/m	Product Name	45 Smooth Stile	Weight	0.596kg/m
Wall Thickness	1.0mm	Length	6.0m (4 pieces/bundle)	Wall Thickness	1.0mm	Length	6.0m (4 pieces/bundle)

YC-SZ-4504

Product Name	45 Middle Post	Weight	0.556kg/m
Wall Thickness	1.2mm	Length	6.0m (4 pieces/bundle)

YC-SZ-5001

Product Name	50 Side Frame	Weight	1.011kg/m
Wall Thickness	1.2mm	Length	6.0m (4 pieces/bundle)

YC-SZ-5002






Single glass


With YC-SZ-5003



Double Glass

With YC-SZ-4503

Product Name	50 Smooth Stile	Weight	0.843kg/m
Wall Thickness	1.4mm	Length	6.0m (4 pieces/bundle)

YC-SZ-5004



Single Glass

With YC-SZ-5003

Double Glass

With YC-SZ-4503

Product Name	50 Middle Post	Weight	0.668kg/m
Wall Thickness	1.2mm	Length	6.0m (4 pieces/bundle)

YC-SZ-6001




Product Name	60 Side Frame	Weight	1.251kg/m
Wall Thickness	1.7mm	Length	6.0m (4 pieces/bundle)

YC-SZ-6002






Single glass

With YC-SZ-5003


Double Glass

With YC-SZ-4503

Product Name	60 Smooth Stile	Weight	0.873kg/m
Wall Thickness	1.4mm	Length	6.0m (4 pieces/bundle)

YC-SZ-6003



Single Glass


With YC-SZ-5003

Double Glass

With YC-SZ-4503



Product Name	60 Middle Post	Weight	0.724kg/m
Wall Thickness	1.2mm	Length	6.0m (4 pieces/bundle)

YC-SZ-4503




Product Name	Glazing Bead 1	Weight	0.114kg/m
Wall Thickness	1.0mm	Length	6.0m (10 pieces/bundle)

YC-SZ-4503

Product Name	Glazing Bead 2	Weight	0.152kg/m
Wall Thickness	1.0mm	Length	6.0m (10 pieces/bundle)